Table 25 (page 1 of 4). Death rates for all causes, by sex, race, Hispanic origin, and age: United States, selected years 1950–2010

Updated data when available, Excel, PDF, and more data years: http://www.cdc.gov/nchs/hus/contents2013.htm#025.

[Data are based on death certificates]

Sex, race, Hispanic origin, and age	1950¹	1960¹	1970	1980	1990	2000	2009	2010
All persons			Death	ns per 100.000	resident popu	lation		
All ages, age-adjusted <sup>2</sup> All ages, crude	1,446.0	1,339.2	1,222.6	1,039.1	938.7	869.0	749.6	747.0
	963.8	954.7	945.3	878.3	863.8	854.0	794.5	799.5
Under 1 year. 1–4 years 5–14 years 15–24 years 25–34 years 35–44 years 45–54 years 55–64 years 65–74 years 75–84 years 85 years and over	3,299.2	2,696.4	2,142.4	1,288.3	971.9	736.7	659.7	623.4
	139.4	109.1	84.5	63.9	46.8	32.4	27.4	26.5
	60.1	46.6	41.3	30.6	24.0	18.0	13.8	12.9
	128.1	106.3	127.7	115.4	99.2	79.9	69.8	67.7
	178.7	146.4	157.4	135.5	139.2	101.4	104.4	102.9
	358.7	299.4	314.5	227.9	223.2	198.9	180.0	170.5
	853.9	756.0	730.0	584.0	473.4	425.6	418.1	407.1
	1,901.0	1,735.1	1,658.8	1,346.3	1,196.9	992.2	856.7	851.9
	4,104.3	3,822.1	3,582.7	2,994.9	2,648.6	2,399.1	1,888.7	1,875.1
	9,331.1	8,745.2	8,004.4	6,692.6	6,007.2	5,666.5	4,820.2	4,790.2
	20,196.9	19,857.5	16,344.9	15,980.3	15,327.4	15,524.4	13,660.1	13,934.3
Male								
All ages, age-adjusted <sup>2</sup> All ages, crude	1,674.2	1,609.0	1,542.1	1,348.1	1,202.8	1,053.8	890.9	887.1
	1,106.1	1,104.5	1,090.3	976.9	918.4	853.0	807.2	812.0
Under 1 year. 1–4 years 5–14 years 15–24 years 25–34 years 35–44 years 45–54 years 55–64 years 65–74 years 75–84 years 85 years and over	3,728.0	3,059.3	2,410.0	1,428.5	1,082.8	806.5	725.0	680.2
	151.7	119.5	93.2	72.6	52.4	35.9	30.1	29.6
	70.9	55.7	50.5	36.7	28.5	20.9	15.6	14.6
	167.9	152.1	188.5	172.3	147.4	114.9	100.0	97.6
	216.5	187.9	215.3	196.1	204.3	138.6	142.7	141.5
	428.8	372.8	402.6	299.2	310.4	255.2	225.5	212.5
	1,067.1	992.2	958.5	767.3	610.3	542.8	520.3	505.9
	2,395.3	2,309.5	2,282.7	1,815.1	1,553.4	1,230.7	1,078.4	1,075.5
	4,931.4	4,914.4	4,873.8	4,105.2	3,491.5	2,979.6	2,290.5	2,275.1
	10,426.0	10,178.4	10,010.2	8,816.7	7,888.6	6,972.6	5,725.8	5,693.7
	21,636.0	21,186.3	17,821.5	18,801.1	18,056.6	17,501.4	15,142.9	15,414.3
Female								
All ages, age-adjusted 2 All ages, crude	1,236.0	1,105.3	971.4	817.9	750.9	731.4	636.8	634.9
	823.5	809.2	807.8	785.3	812.0	855.0	782.1	787.4
Under 1 year. 1–4 years . 5–14 years . 15–24 years . 25–34 years . 35–44 years . 45–54 years . 55–64 years . 65–74 years . 75–84 years . 85 years and over .	2,854.6	2,321.3	1,863.7	1,141.7	855.7	663.4	591.5	564.0
	126.7	98.4	75.4	54.7	41.0	28.7	24.6	23.3
	48.9	37.3	31.8	24.2	19.3	15.0	12.0	11.1
	89.1	61.3	68.1	57.5	49.0	43.1	38.1	36.4
	142.7	106.6	101.6	75.9	74.2	63.5	65.6	64.0
	290.3	229.4	231.1	159.3	137.9	143.2	134.9	128.9
	641.5	526.7	517.2	412.9	342.7	312.5	319.1	311.4
	1,404.8	1,196.4	1,098.9	934.3	878.8	772.2	650.1	643.5
	3,333.2	2,871.8	2,579.7	2,144.7	1,991.2	1,921.2	1,540.5	1,527.5
	8,399.6	7,633.1	6,677.6	5,440.1	4,883.1	4,814.7	4,172.2	4,137.7
	19,194.7	19,008.4	15,518.0	14,746.9	14,274.3	14,719.2	12,951.6	13,219.2
White male <sup>3</sup>								
All ages, age-adjusted <sup>2</sup> All ages, crude	1,642.5	1,586.0	1,513.7	1,317.6	1,165.9	1,029.4	880.5	878.5
	1,089.5	1,098.5	1,086.7	983.3	930.9	887.8	858.2	866.1
Under 1 year. 1–4 years 5–14 years 15–24 years 25–34 years 35–44 years 45–54 years 55–64 years 65–74 years 75–84 years 85 years and over	3,400.5	2,694.1	2,113.2	1,230.3	896.1	667.6	611.2	584.3
	135.5	104.9	83.6	66.1	45.9	32.6	28.3	27.4
	67.2	52.7	48.0	35.0	26.4	19.8	14.5	13.8
	152.4	143.7	170.8	167.0	131.3	105.8	94.9	91.8
	185.3	163.2	176.6	171.3	176.1	124.1	135.9	135.6
	380.9	332.6	343.5	257.4	268.2	233.6	216.8	206.6
	984.5	932.2	882.9	698.9	548.7	496.9	502.3	491.9
	2,304.4	2,225.2	2,202.6	1,728.5	1,467.2	1,163.3	1,032.2	1,033.0
	4,864.9	4,848.4	4,810.1	4,035.7	3,397.7	2,905.7	2,245.3	2,232.4
	10,526.3	10,299.6	10,098.8	8,829.8	7,844.9	6,933.1	5,737.1	5,703.6
	22,116.3	21,750.0	18,551.7	19,097.3	18,268.3	17,716.4	15,362.2	15,640.3

See footnotes at end of table.

Health, United States, 2013 Trend Tables

Table 25 (page 2 of 4). Death rates for all causes, by sex, race, Hispanic origin, and age: United States, selected years 1950–2010

Updated data when available, Excel, PDF, and more data years: http://www.cdc.gov/nchs/hus/contents2013.htm#025.

[Data are based on death certificates]

Sex, race, Hispanic origin, and age	1950¹	1960¹	1970	1980	1990	2000	2009	2010
Black or African American male <sup>3</sup>			Death	ns per 100,000	) resident popu	lation		
All ages, age-adjusted <sup>2</sup> All ages, crude	1,909.1 1,257.7	1,811.1 1,181.7	1,873.9 1,186.6	1,697.8 1,034.1	1,644.5 1,008.0	1,403.5 834.1	1,123.1 735.3	1,104.0 725.4
Under 1 year.  1–4 years <sup>4</sup> 5–14 years  15–24 years  25–34 years  35–44 years  45–54 years  55–64 years  65–74 years  75–84 years <sup>5</sup> 85 years and over	1,412.6 95.1 289.7 503.5 878.1 1,905.0 3,773.2 5,310.3 10,101.9	5,306.8 208.5 75.1 212.0 402.5 762.0 1,624.8 3,316.4 5,798.7 8,605.1 14,844.8	4,298.9 150.5 67.1 320.6 559.5 956.6 1,777.5 3,256.9 5,803.2 9,454.9 12,222.3	2,586.7 110.5 47.4 209.1 407.3 689.8 1,479.9 2,873.0 5,131.1 9,231.6 16,098.8	2,112.4 85.8 41.2 252.2 430.8 699.6 1,261.0 2,618.4 4,946.1 9,129.5 16,954.9	1,567.6 54.5 28.2 181.4 261.0 453.0 1,017.7 2,080.1 4,253.5 8,486.0 16,791.0	1,357.2 41.9 22.2 142.5 226.1 336.8 760.4 1,707.1 3,250.1 6,727.9 14,562.9	1,206.5 42.9 19.6 142.8 216.7 307.5 716.3 1,662.1 3,205.6 6,721.5 14,715.3
American Indian or Alaska Native male <sup>3</sup>								
All ages, age-adjusted <sup>2</sup> All ages, crude				1,111.5 597.1	916.2 476.4	841.5 415.6	709.0 389.9	730.2 397.5
Under 1 year				1,598.1 82.7 43.7	1,056.6 77.4 33.4	700.2 44.9 20.2	548.7 31.2 15.5	542.5 34.3 18.1
15–24 years				311.1 360.6 556.8	219.8 256.1 365.4	136.2 179.1 295.2	121.0 154.9 275.6	116.4 156.2 258.2
45–54 years				871.3 1,547.5 2,968.4	619.9 1,211.3 2,461.7	520.0 1,090.4 2,478.3	486.7 941.0 1,969.9	496.1 951.2 1,971.0
75–84 years				5,607.0 12,635.2	5,389.2 11,243.9	5,351.2 10,725.8	4,342.4 9,174.7	4,451.8 10,268.1
Asian or Pacific Islander male <sup>3</sup>								
All ages, age-adjusted <sup>2</sup> All ages, crude				786.5 375.3	716.4 334.3	624.2 332.9	509.2 321.2	512.1 327.0
Under 1 year				816.5 50.9	605.3 45.0	529.4 23.3	412.0 19.3	434.4 19.3
5–14 years				23.4 80.8 83.5	20.7 76.0 79.6	12.9 55.2 55.0	11.0 41.3 50.3	8.4 43.0 52.6
35–44 years				128.3 342.3	130.8 287.1	104.9 249.7	93.7 226.5	83.5 213.7
55–64 years				881.1 2,236.1 5,389.5	789.1 2,041.4 5,008.6	642.4 1,661.0 4,328.2	509.9 1,218.8 3,456.9	519.0 1,226.0 3,438.7
75–84 years				13,753.6	12,446.3	12,125.3	10,477.3	10,824.5
Hispanic or Latino male <sup>3,6</sup> All ages, age-adjusted <sup>2</sup>					886.4	818.1	675.5	677.7
All ages, crude					411.6	331.3	311.8	310.8
Under 1 year					921.8 53.8	637.1 31.5	569.5 25.9	556.8 25.0
5–14 years					26.0 159.3 234.0	17.9 107.7 120.2	14.1 87.6 107.1	11.4 79.4 100.9
35–44 years					341.8 533.9	211.0 439.0	158.5 376.9	146.2 351.9
55–64 years					1,123.7 2,368.2 5,369.1	965.7 2,287.9 5,395.3	818.9 1,789.2 4,396.7	815.1 1,775.0
75–84 years					5,369.1 12,272.1	5,395.3 13,086.2	4,396.7 11,225.7	4,461.9 11,779.8

See footnotes at end of table.

2 **Trend Tables** Health, United States, 2013

Table 25 (page 3 of 4). Death rates for all causes, by sex, race, Hispanic origin, and age: United States, selected years 1950–2010

Updated data when available, Excel, PDF, and more data years: http://www.cdc.gov/nchs/hus/contents2013.htm#025.

[Data are based on death certificates]

Sex, race, Hispanic origin, and age	1950¹	1960¹	1970	1980	1990	2000	2009	2010
White, not Hispanic or Latino male <sup>6</sup>			Death	ns per 100,000	resident popu	lation		
All ages, age-adjusted <sup>2</sup>					1,170.9 985.9	1,035.4 978.5	893.7 975.7	892.5 987.5
Jnder 1 year I–4 years					865.4 43.8	658.7 32.4	604.4 28.3	575.9 27.5
i–14 years					25.7	20.0	14.2	14.3
5–24 years					123.4 165.3	103.5 123.0	94.4 142.1	93.4 143.6
5–44 years					257.1	233.9	227.9	219.1
5–54 years					544.5 1,479.7	497.7 1.170.9	515.4 1,045.1	508.1 1,046.2
5–04 years					3,434.5	2,930.5	2,269.9	2,256.9
'5–84 years					7,920.4	6,977.8	5,810.0	5,770.3
5 years and over					18,505.4	17,853.2	15,552.9	15,816.6
White female <sup>3</sup>	4 400 0	4.074.4	044.0	700.4	700.0	745.0	224.0	200.0
All ages, age-adjusted <sup>2</sup>	1,198.0 803.3	1,074.4 800.9	944.0 812.6	796.1 806.1	728.8 846.9	715.3 912.3	631.3 849.3	630.8 857.3
Jnder 1 year	2,566.8	2,007.7	1,614.6	962.5	690.0	550.5	502.3	488.0
–4 years	112.2 45.1	85.2 34.7	66.1 29.9	49.3 22.9	36.1 17.9	25.5 14.1	22.6 11.1	21.6 10.6
5–24 years	71.5	54.9	61.6	55.5	45.9	41.1	37.1	36.2
25–34 years	112.8	85.0	84.1	65.4	61.5	55.1	62.9	61.4
35–44 years	235.8 546.4	191.1 458.8	193.3 462.9	138.2 372.7	117.4 309.3	125.7 281.4	128.2 301.6	122.8 295.1
55–64 years	1,293.8	1,078.9	1,014.9	876.2	822.7	730.9	624.8	617.8
55–74 years	3,242.8 8,481.5	2,779.3 7.696.6	2,470.7 6,698.7	2,066.6 5,401.7	1,923.5 4,839.1	1,868.3 4,785.3	1,517.9 4,190.9	1,504.9 4,165.4
75-84 years	19,679.5	19,477.7	15,980.2	14,979.6	14,400.6	14,890.7	13,132.7	13,419.3
Black or African American female <sup>3</sup>								
All ages, age-adjusted <sup>2</sup>	1,545.5	1,369.7	1,228.7	1,033.3	975.1	927.6	763.3	752.5
All ages, crude	1,002.0	905.0	829.2	733.3	747.9	733.0	645.6	642.7
Jnder 1 year	1,139.3	4,162.2 173.3	3,368.8 129.4	2,123.7 84.4	1,735.5 67.6	1,279.8 45.3	1,070.0 37.7	994.4 33.2
i–14 years	72.8	53.8	43.8	30.5	27.5	20.0	16.6	14.5
5–24 years	213.1	107.5	111.9	70.5	68.7	58.3	46.6	43.3
25–34 years	393.3 758.1	273.2 568.5	231.0 533.0	150.0 323.9	159.5 298.6	121.8 271.9	97.5 207.7	92.9 199.3
15–54 years	1,576.4	1,177.0	1,043.9	768.2	639.4	588.3	500.5	481.0
55–64 years	3,089.4 4.000.2	2,510.9 4,064.2	1,986.2 3,860.9	1,561.0 3,057.4	1,452.6 2,865.7	1,227.2 2,689.6	983.7 2,041.2	972.2 2,021.2
65–74 years	8,347.0	6,730.0	6,691.5	6,212.1	5,688.3	5,696.5	4,694.0	4,580.9
35 years and over		13,052.6	10,706.6	12,367.2	13,309.5	13,941.3	12,378.5	12,589.9
American Indian or Alaska Native female <sup>3</sup>								
All ages, age-adjusted <sup>2</sup> All ages, crude				662.4 380.1	561.8 330.4	604.5 346.1	536.4 332.4	541.7 332.4
Under 1 year				1,352.6	688.7	492.2	444.2	366.4
-4 years				87.5	37.8	39.8	23.5	24.4
5–14 years				33.5	25.5	17.7	16.2	10.5
5–24 years				90.3 178.5	69.0 102.3	58.9 84.8	56.3 81.9	43.6 85.6
85–44 years				286.0	156.4	171.9	171.8	146.6
5–54 years				491.4	380.9	284.9 772.1	346.5	326.2
55–64 years				837.1 1,765.5	805.9 1,679.4	772.1 1,899.8	603.9 1,472.4	623.8 1,481.7
'5-84 years				3,612.9	3,073.2	3,850.0	3,332.7	3,391.9
35 years and over				8,567.4	8,201.1	9,118.2	8,619.3	9,277.9

See footnotes at end of table.

Health, United States, 2013 Trend Tables 3

## Table 25 (page 4 of 4). Death rates for all causes, by sex, race, Hispanic origin, and age: United States, selected years 1950–2010

Updated data when available, Excel, PDF, and more data years: http://www.cdc.gov/nchs/hus/contents2013.htm#025.

[Data are based on death certificates]

Sex, race, Hispanic origin, and age	1950¹	1960¹	1970	1980	1990	2000	2009	2010
Asian or								
Pacific Islander female <sup>3</sup>	Deaths per 100,000 resident population							
All ages, age-adjusted <sup>2</sup>				425.9	469.3	416.8	361.1	359.0
All ages, crude				222.5	234.3	262.3	273.5	277.3
Under 1 year				755.8	518.2	434.3	373.7	341.8
1–4 years				35.4	32.0	20.0	12.7	16.3
5–14 years				21.5	13.0	11.7	10.0	7.9
15–24 years				32.3 45.4	28.8 37.5	22.4 27.6	21.1 26.0	17.0 27.1
25–34 years				45.4 89.7	69.9	65.6	50.8	49.0
45–54 years				214.1	182.7	155.5	122.0	127.9
55–64 years				440.8	483.4	390.9	294.8	298.8
65–74 years				1,027.7	1,089.2	996.4	776.8	788.7
75–84 years				2,833.6	3,127.9	2,882.4	2,472.3	2,445.5
85 years and over				7,923.3	10,254.0	9,052.2	8,685.4	8,590.1
Hispanic or Latina female 3,6								
All ages, age-adjusted <sup>2</sup>					537.1	546.0	466.1	463.4
All ages, crude					285.4	274.6	261.4	260.9
Under 1 year					746.6	553.6	480.1	462.9
1–4 years					42.1	27.5	23.4	20.2
5–14 years					17.3	13.4	11.8	8.9
15–24 years					40.6	31.7	29.1	26.3
25-34 years					62.9	43.4	42.5	38.9
35–44 years					109.3	100.5	81.0	75.2
45–54 years					253.3	223.8	200.0	193.9
55–64 years					607.5	548.4	456.8	450.1
65–74 years					1,453.8 3,351.3	1,423.2 3,624.5	1,106.7 3,160.1	1,085.5 3,067.4
75–84 years					10,098.7	11,202.8	9,794.3	10,237.3
oo years and over					10,000.7	11,202.0	0,704.0	10,207.0
White, not Hispanic or Latina female <sup>6</sup>								
All ages, age-adjusted <sup>2</sup>					734.6	721.5	643.1	643.3
All ages, crude					903.6	1,007.3	969.1	981.2
					655.3	530.9	494.2	480.4
Under 1 year					34.0	24.4	21.6	21.8
1–4 years					17.6	13.9	10.5	10.9
15–24 years					46.0	42.6	38.6	38.4
25–34 years					60.6	56.8	67.5	66.8
35–44 years					116.8	128.1	137.7	133.1
45–54 years					312.1	285.0	313.5	307.7
55–64 years					834.5	742.1	638.5	631.5
65–74 years					1,940.2	1,891.0	1,548.1	1,535.9
75–84 years					4,887.3	4,819.3	4,252.4	4,232.6
85 years and over					14,533.1	14,971.7	13,264.8	13,543.5

<sup>- - -</sup> Data not available

NOTES: Starting with *Health, United States, 2003*, rates for 1991–1999 were revised using intercensal population estimates based on the 1990 and 2000 censuses. For 2000, population estimates are bridged-race April 1 census counts. Starting with *Health, United States, 2012*, rates for 2001–2009 were revised using intercensal population estimates based on the 2000 and 2010 censuses. For 2010, population estimates are bridged-race April 1 census counts. See Appendix I, Population Census and Population Estimates. Starting with 2003 data, some states allowed the reporting of more than one race on the death certificate. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards, for comparability with other states. See Appendix II, Race. Data for additional years are available. See the Excel spreadsheet on the *Health, United States* website at: http://www.cdc.gov/nchs/hus.htm.

SOURCE: CDC/NCHS, National Vital Statistics System; Grove RD, Hetzel AM. Vital statistics rates in the United States, 1940–1960. Washington, DC: U.S. Government Printing Office, 1968; numerator data from National Vital Statistics System, annual public-use Mortality Files; denominator data from national population estimates for race groups from Table 1 and unpublished Hispanic population estimates for 1985–1996 prepared by the Housing and Household Economic Statistics Division, U.S. Census Bureau; Murphy SL, Xu JQ, Kochanek KD. Deaths: Final data for 2010. National vital statistics reports; vol 61 no 4. Hyattsville, MD: NCHS; 2012. Available from: http://www.cdc.gov/nchs/data/nvsr/nvsr61\_04.pdf. See Appendix I, National Vital Statistics System (NVSS).

4 Trend Tables Health, United States, 2013

<sup>&</sup>lt;sup>1</sup>Includes deaths of persons who were not residents of the 50 states and the District of Columbia (D.C.).

<sup>&</sup>lt;sup>2</sup>Age-adjusted rates are calculated using the year 2000 standard population. Prior to 2001, age-adjusted rates were calculated using standard million proportions based on rounded population numbers. Starting with 2001 data, unrounded population numbers are used to calculate age-adjusted rates. See Appendix II, Age adjustment.

<sup>3</sup>The race groups, white, black, Asian or Pacific Islander, and American Indian or Alaska Native, include persons of Hispanic and non-Hispanic origin. Persons of Hispanic origin may be of any race. Death rates for Hispanic, American Indian and Alaska Native, and Asian or Pacific Islander persons should be interpreted with caution because of inconsistencies in reporting Hispanic origin or race on the death certificate (death rate numerators) compared with population figures (death rate denominators). The net effect of misclassification is an underestimation of deaths and death rates for races other than white and black. See Appendix II, Race, for a detailed discussion of sources of bias in death rates by race and Hispanic origin.

<sup>&</sup>lt;sup>4</sup>In 1950, rate is for the age group under 5 years.

<sup>&</sup>lt;sup>5</sup>In 1950, rate is for the age group 75 years and over.

<sup>&</sup>lt;sup>6</sup>Prior to 1997, data from states that did not report Hispanic origin on the death certificate were excluded. See Appendix II, Hispanic origin.